	Application No.	Applicant(s)
Notice of Allowability	10/568,605	LEGG ET AL.
	Examiner	Art Unit
	Bobbak Safaipour	2618
The MAILING DATE of this communication appears on the cover sheet with the correspondence address All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308.  1. This communication is responsive to Amendment After Final 6/26/07.		
2. The allowed claim(s) is/are <u>1,4,5,8-11,13,16,17,20 and 21</u> .		
<ul> <li>3.  Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).</li> <li>a)  All b)  Some* c) None of the:</li> <li>1.  Certified copies of the priority documents have been received.</li> <li>2.  Certified copies of the priority documents have been received in Application No</li> <li>3.  Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)).</li> <li>* Certified copies not received:</li> </ul> Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements		
noted below. Failure to timely comply will result in ABANDONMENT of this application.  THIS THREE-MONTH PERIOD IS NOT EXTENDABLE.  4.   A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF		
INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient.  5. CORRECTED DRAWINGS ( as "replacement sheets") must be submitted.  (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached  1) hereto or 2) to Paper No./Mail Date  (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date  Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d).		
6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL.		
<ul> <li>Attachment(s)</li> <li>1. ☑ Notice of References Cited (PTO-892)</li> <li>2. ☐ Notice of Draftperson's Patent Drawing Review (PTO-948)</li> <li>3. ☐ Information Disclosure Statements (PTO/SB/08), Paper No./Mail Date</li> <li>4. ☐ Examiner's Comment Regarding Requirement for Deposit of Biological Material</li> </ul>	5. ☐ Notice of Informal P 6. ☐ Interview Summary Paper No./Mail Dat 7. ☐ Examiner's Amenda 8. ☑ Examiner's Stateme 9. ☐ Other	(PTO-413),

Art Unit: 2618

## **DETAILED ACTION**

Notice of Allowability

Claims 2-3, 6-7, 12, 14-15, 18-19, 22-25 are cancelled.

Claims 1, 4-5, 8-11, 13, 16-17, 20-21 are allowed.

The following is an Examiner's statement for reasons for allowance.

Consider claim 1, the best prior art of record found during the examination of the present application, Chou et al (US Patent Application Publication #2004/0205752 A1) in view of Toskala et al (United States Patent #6,374,118), fail to specifically disclose, teach, or suggest determining that one of the resulting respective inner loop power control performance target values differs from the resulting respective inner loop power control performance target value of one or more of the other services by more than a predetermined threshold; and responsive thereto, adjusting rate matching parameters of one or more of the services to bring the differing respective inner loop power control performance target value closer to the resulting respective inner loop power control performance target values of the one or more other services.

Claims 4-5 and 8-11 are allowed because they are dependent on independent claim 1.

Consider claim 13, the best prior art of record found during the examination of the present application, Chou et al (US Patent Application Publication #2004/0205752 A1) in view of Toskala et al (United States Patent #6,374,118), fail to specifically disclose, teach, or

Art Unit: 2618

suggest means for determining that one of the resulting respective inner loop power control performance target values differs from the resulting respective inner loop power control performance target value of one or more of the other services by more than a predetermined threshold; and responsive thereto, means for adjusting rate matching parameters of one or more of the services to bring the differing respective inner loop power control performance target value closer to the resulting respective inner loop power control performance target values of the one or more other services.

Claims 16-17 and 20-21 are allowed because they are dependent on independent claim 13.

## Conclusion

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Any inquiry concerning this communication or earlier communications from the Examiner should be directed to Bobbak Safaipour whose telephone number is (571) 270-1092. The Examiner can normally be reached on Monday-Friday from 9:00am to 5:00pm.

Art Unit: 2618

If attempts to reach the Examiner by telephone are unsuccessful, the Examiner's supervisor, Lana Le can be reached on (571) 272-7891. The fax phone number for the organization where this application or proceeding is assigned is (571) 273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free) or 703-305-3028.

Any inquiry of a general nature or relating to the status of this application or proceeding should be directed to the receptionist/customer service whose telephone number is (571) 272-2600.

B.S./bs

July 3, 2007

**PRIMARY EXAMINER**